

# NOVAS

## 3100 Vestibule Locks



### Function:

- Inside handle always operative for escape
- Automatic deadlatching when door is closed.
- Reversible bolt - universal handing
- Set function after installation via hubs
- Compliance with Australian building regulations for single action escape doors



### Specifications:

Case:	Zinc Alloy Pressure Cast.	Cylinder:	Satin Chrome Brass 6 pin C4 keyway Standard.
Latch Bolt:	Sintered Stainless Steel.		Novas Master Keying (ref: to Novas SG/MS4 Master Keying).
Deadlatch Bolt:	Sintered Stainless Steel.	Door Thickness:	Metal Doors - 32mm to 48mm Standard.
Faceplate:	Stainless Steel.		Designed to be used on narrow stile aluminium door sections, with a minimum internal depth of 39mm.
Strike Plate:	Stainless Steel - Universal.		Extended Cylinders, Spindles & Screws available upon request for Thicker Doors.
Backsets:	23mm, 30mm & 38mm.		
Spindles:	2 Split Spindles.		
Followers:	Sintered Stainless Steel.		
Locking Bar:	Press Mild Steel.		
		Finishes:	SSS, PSS.

### Primary Lock-Code 3100




### Vestibule Lock-Code 3105




# NOVAS

## 3100 Vestibule Locks


### Exterior & Exit Lock-Code 3110


<p><b>Outside</b> Key retracts bolt at all times. Handle operative except when locked by inside turn.</p>		<p><b>Inside</b> Key locks and unlocks outside handle. Inside handle always operative.</p>
---	---	--



---


### Store Room Lock-Code 3115


<p><b>Outside</b> Key retracts bolt at all times. Outside handle always in-operative.</p>		<p><b>Inside</b> Inside handle always operative.</p>
---	---	--



---


### Single Acton Lock-Code 3120

<p><b>Outside</b> Key retracts bolt at all times. No outside handle.</p>		<p><b>Inside</b> Inside handle always operative.</p>
--	---	--




# NOVAS

## Vestibule Lock-Code 3125


<b>Outside</b> Key locks and unlocks outside handle. Handle operative except when locked by outside key or inside turn.		<b>Inside</b> Turn locks and unlocks outside handle. Inside handle always operative.
---	---	--

Note: Denote "A" to lock code for anti-lockout function where required.




---

## Classroom Lock-Code 3130


<b>Outside</b> Key locks and unlocks outside handle. Handle operative except when locked by outside key.		<b>Inside</b> Inside handle always operative.
--	--	--

Note: Denote "A" to lock code for anti-lockout function where required.




---

## Exterior & exit Lock-Code 3135



<b>Outside</b> Inside turn locks and unlocks outside handle. Handle operative except when locked by outside turn.		<b>Inside</b> Inside handle always operative.
---	---	--

Note: Denote "A" to lock code for anti-lockout function where required.




# NOVAS

## Exterior & Exit Lock-Code 3140




---

## Exit Latch-Code 3145




Note: Denote "A" to lock code for anti-lockout function where required.




---

## Cams and Adaptors



Cams to suit 3000 series.



Turn adaptors to suit 3000 series.

# NOVAS


## Guide to Catalogue Numbers

<p>Backset 3 = 23mm 4 = 30mm 5 = 38mm</p>	<p>Anti-lockout Holdback</p>	<p>Finish SSS, PSS.</p>	<p>Function 1XX = Vestibule 2XX = Combination</p>
---	----------------------------------	-----------------------------	---

**Note:**  
Replace XX with specific function when ordering.


IE: 3100 - Primary Lock  
3105 - Vestibule Lock

## Door Handing



## Dimensional Details

### 3200 Vestibule Locks & Combination Locks



# NOVAS

## Novas 3000 Series Multi Function Narrow Stile Locks

The 3000 series has been designed specifically to embrace the Australian markets requirements for a mortice lock that is robust as it is user friendly.

The universal multi-function lock case allows the user to set function AFTER the lock has been installed.

Independently tested to meet the Australian Standards (D3–Durability and S2–Security) the Novas 3000 series cover all commercial situations.

## Performance Features

- **Function:** The 3000 series multi-function narrow stile lock allows easy conversion from Vestibule to Combination function. Vestibule (inside handle always operative – escape) Combination (both handles locked or unlocked).
- **Anti-Lockout/Hold Back:** The 3000 series Narrow stile lock is available with an anti-lockout/hold back feature. This is an extra function built into the lock when assembled in the factory, if you require the function please refer to ordering procedure.
- **Universal Handing:** The stainless steel latch bolt is fully reversible by removing the face plate and simply rotating the bolt (refer to handling chart).
- **Door Thickness:** 35mm – 48mm standard. Designed to be used on narrow stile aluminium door sections, with a minimum depth of 39mm. Wooden doors – 32mm to 48mm standard. Extended cylinders, spindles and screws available upon request for thicker doors.
- **Door Furniture:** The 3000 series case will accept bolt-through fixing 159mm vertical fixing door furniture such as the Novas “P” and “Q” series narrow stile furniture.
- **Australian Standards:** The 3000 series locks conform to the Australian standards (AS4145.2-1993) tested independently to meet durability (D3) and physical security (S2) requirements.
- **Backset:** (23mm, 30mm and 38mm available).

## Services

Novas Architectural offers a fully comprehensive (free of charge) specification/door scheduling service to meet you specific project requirements. Door schedules are prepared by our scheduling team who are all design and/or industry trained professionals. Please contact your local Novas Architectural representative for assistance.

## Guarantee

Novas Architectural guarantee all their products against defects in workmanship and materials subject to inspection and confirmation of fair wear and tear within the normal working life of the product.

Novas Architectural assumes no liability for:

1. Improper installation or failure to follow fitting instructions.
2. Product failure due to improper maintenance or unfair wear and tear.
3. Indirect or Consequential loss or damage.
4. Cost of removal and/or replacement.
5. Cost of freight and/or travelling expenses.
6. Some plated finishes are classified as soft finishes. Deterioration is possible under some climatic conditions and cannot be unconditionally guaranteed.

**Consult your local Novas Architectural Representative or Agent for advice on all finishes.**